10/033 506

cofc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

rateffice.

LIAMOS ET AL.

Docket:

12008.42USD1

Patent No.:

6,942,518 B2

Issued:

SEPTEMBER 13, 2005

Title:

SMALL VOLUME IN VITRO ANALYTE SENSOR AND METHODS

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on February 13, 2006.

Name: Kristine A. Wacek

Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Sir

We are transmitting herewith the attached:

Request for Certificate of Correction

Certificate of Correction

Return postcard

Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. A duplicate of this sheet is enclosed.

Merchant & Gould P.C. P.O. Box 2903 Minneapolis, MN 55402-0903 612.332.5300

Name: Mara E. DeBoe

Reg. No.: 40,066 MDeBoe:PLSkaw

23552

PATENT TRADEMARK OFFICE

Certificate

FEB 2 1 2006

of Correction





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.:

6,942,518 B2

Docket:

12008.42USD1

Issue Date:

SEPTEMBER 13, 2005

Patentee:

LIAMOS ET AL.

Title:

SMALL VOLUME IN VITRO ANALYTE SENSOR AND METHODS

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box

1450, Alexandria, Virginia 22313-1450 on February /3, 2006.

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

PATENT TRADEMARK OFFICE

Sir:

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. One copy of the text of the Certificate in the suggested form is enclosed.

As none of the errors listed is due to Applicant's mistake, no fee is necessary in connection with this Certificate.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims, and re-examination is not required.

Respectfully submitted,

MERCHANT & GOULD P.C. P.O. Box 2903 Minneapolis, Minnesota 55402-0903 (612) 332-5300

Date: 18 13 2006

Reg. No. 40,066

MED:PLSkaw

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

6,942,518 B2

PAGE __1 _ of __1__

DATED

SEPTEMBER 13, 2005

INVENTOR(S):

LIAMOS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 5, line 57: "once month or less," should read -- one month or less,--

Col. 7, line 31: "a mall volume," should read --a small volume,--

Col. 23, line 28: "sensor 100 to be" should read --sensor 1100 to be--

Col. 26, line 10: "ithreash, that is typically" should read -- ithresh, that is typically--

Col. 26, line 12: "(e.g., i_{threash}=j*i_{peak}" should read --(e.g., i_{thresh}=j*i_{peak}--

MAILING ADDRESS OF SENDER:

Merchant & Gould P.C. Attn: Mara E. DeBoe P.O. Box 2903 Minneapolis, MN 55402-0903 PATENT NO.

6,942,518 B2

Docket No.

12008.42USD1

No. of add'l copies

. 0

23552
PATENT TRADEMARK OFFICE

FEB 22 2006